

## alrstar

EVENT LIGHTING



## **#WeAreAirstar**

Airstar is the inventor and leading manufacturer of inflatable lighting solutions.

Over the last 30 years, our balloon lighting products have been adapted to meet the needs of a variety of industries from events and film to rescue operations and construction safety.

Our products not only look beautiful, they also produce a light quality that cannot be duplicated by traditional lighting systems.

The creativity and flexibility of our lights have earned us a strong reputation for innovation and dependability.







Unit	Crystal 90	Crystal 130	Crystal 160	Crystal 200			
Diameter	3 ft	4 ft	5 ft	6.5 ft			
Power	LED: up	to 500 W	LED: up	to 500 W			
Light source	Dynamic White (CW-WW) LED, RGBW LED, Pixel LED						
Voltage	110 V						
Average set up time	15 - 20 minutes						
Wind resistance	25 mph						

### **Features**

Self-inflating (built-in fan) / Dimmer for Color-changing LED (DMX or standalone) /
Ground-supported (telescopic stand), Suspended or Truss-mounted / Vinyl graphics / Colored covers /
Printed covers / Themed and holiday covers / Battery operation available for select LED products
Dynamic Airstar Light App gives mobile device control for Pixel LED products











Unit	Tube	Cone	Flame	Horn	Tusk	Moon	Arch		
Envelope height	6.5, 10, 13. 16.5 ft	10, 13, 16.5 ft	11.5 ft	8, 11.5 ft	15 ft	4.3, 5, 6, 7.5, 10 ft	12.2 ft (21 ft wide) / inner: 9.6 ft (18.4 ft wide)		
Base diameter		2.6 ft							
Light source		96 W RGBW LED							
Voltage		110 V or 24 V battery pack (optional)							
Average set up time	10 minutes 20 minutes								
Wind resistance	20 mph 15 mph						15 mph		











Unit	Lunix 200	Lunix 250	Lunix 300	Lunix 370	Lunix 500		
Diameter	6.5 ft	8 ft	10 ft	12 ft	16 ft		
Helium tanks (291 cft)	1	2	2	5	10		
Power	Halogen: 2,600 W LED: 100 W	Halogen: 2,600 W LED: 200 W		Halogen: 5,200 W LED: 300 W	Halogen: 16,000 W LED: 600 W		
Voltage		110 V					
Light source	Halogen or RGB LED						
Average set up time	30 minutes 60 minutes						
Wind resistance	15 mph 20 mph				25 mph		

### **Features**

Helium-filled / Flying unit - Can also be suspended (air-filled) / Dimmer for Halogen or Color-changing LED (DMX or standalone) / Vinyl graphics / Colored covers / Printed covers / Hot-air balloon covers / Themed covers











Unit	RGBV	V LED	Pixel LED			
Length	8.2 ft	16.4 ft	8.2 ft	13 ft	16.4 ft	
Diameter	8.4 in					
Power	48 W	96 W	32 W	48 W	64 W	
Light source	RGBV	V LED	RGBW Pixel LED			
Voltage	120 V / 60Hz					
Bluetooth control (download required)		Store e Play	Airstar Light App Apple Store / Google Play			
DMX control (optional purchase)	5-pin DMX 4 Cha	connectors	5-pin DMX connectors Macro mode: 4 to 28 channels Pixel mode: 302 - 402 channels			
Safety	IP 54					
Mounting options	Suspended / ground supported					
Accessories	Tilting floor plate / drape					
Average set up time			< 5 min each	·	·	












Unit	Aquastar 200	Aquastar 300		
Diameter	6.5 ft 10 ft			
Light source	96 W RGBW LED			
Voltage	12 V Battery pack			
Average set up time	30 minutes 45 minutes			
Wind resistance	30 mph			

### **Features**

Floating unit / Battery-operated (no external power needed) / Color-changing LED (DMX or standalone) / Vinyl graphics

















Newton

3.70 ft



Da Vinci

3 ft

9.35 ft

25 min



Edison

7.80 ft

14.40 ft

50 min

### Technical data

Unit
Diameter
Height
Light source*
Set-up time

Base height	
Base width	



		置	置	
Curie	Einstein	Copernic	Volta	
3.30 ft	4.70 ft	4.25 ft	4.80 ft	

5.25 ft	5.25 ft	5.25 ft	8.75 ft	8.75 ft	8.75 ft	9.35
	Availab	ole for Crystal m	nodels: RGBW L	ED, Dynamic W	hite LED and R	GB LED
20 min	20 min	20 min	30 min	30 min	25 min	25 m

_		



Nobel

4.25 ft

2.62 ft









Unit	Cube Ball			Rock	FlatBall	Egg	
Dimensions	14" x 14"	17" x 17"	14"	20"	12" x 12.5"	14" x 10.5"	6" x 8"
Light source	RGBW LED						
Power	Battery operated						
Life time	6 to 8 hours						















Sirocco LED 6,150 lumens / 60 W Fast setup / Self-contained battery



Sirocco Redtech LED 700: 66,000 lumens / 500 W Low power consumption



Sirocco Redtech LED 1000: 99,000 lumens / 700 W Maximum light output

Our Sirocco series of lighting is perfect for set, strike, safety, temporary restrooms, parking lots and more. Additional models are available.



























































# airstar

### **ORLANDO**

(407) 851-7830

### LAS VEGAS

(725) 206-5986

### LOS ANGELES

(818) 753-0066

### **ATLANTA**

(404) 228-1330

1 (800) 217-9001

WWW.AIRSTAREVENTS.COM

events@airstar-light.us @airstaramerica #WeAreAirstar



