


## PAD 1,8 kW LED HYBRID

LIGHT UNDER THE BALLOON

HEIGHT OF THE BALLOON

		Lux				
m		2700 K	3200 K	4300 K	5600 K	6500 K
HEIGHT OF THE BALLOON	3	828	954	1429	1267	969
	5	416	482	730	657	507
	7	224	258	386	343	262
	10	108	124	186	165	126
	13	66	76	114	102	78

		Foot-candle				
ft		2700 K	3200 K	4300 K	5600 K	6500 K
HEIGHT OF THE BALLOON	10	77	89	133	118	90
	16	39	45	68	61	47
	23	21	24	36	32	24
	33	10	12	17	15	12
	43	6	7	11	9	7



**AIRSTAR**

# LIGHTING CHARTS

## PAD 1,8 kW LED 3200 K


DISTANCE FROM THE BALLOON

Lux

m	9	8	7	6	5	4	3	2	1	0
3	51	70	99	150	250	427	722	1122	1518	1661
5	79	103	135	191	272	381	513	656	713	735
7	82	101	125	155	190	231	274	314	343	353
10	72	82	95	109	124	139	152	163	170	173
13	57	63	70	77	83	89	95	99	101	102

m	9	8	7	6	5	4	3	2	1	0
3	3%	4%	6%	9%	15%	26%	43%	68%	91%	100%
5	11%	14%	18%	26%	37%	52%	70%	89%	97%	100%
7	23%	29%	35%	44%	54%	65%	78%	89%	97%	100%
10	42%	48%	55%	63%	72%	80%	88%	94%	98%	100%
13	56%	62%	69%	75%	82%	88%	93%	97%	99%	100%

HEIGHT OF THE BALLOON



**AIRSTAR**

# LIGHTING CHARTS

## PAD 1,8 kW LED 3200 K

DISTANCE FROM THE BALLOON

Foot-candle

ft	30	26	23	20	16	13	10	7	3	0
10	4,7	6,5	9,2	13,9	23,2	39,7	67,0	104,2	141,0	154,3
16	7,4	9,6	12,6	17,8	25,2	35,4	47,6	60,9	66,2	68,3
23	7,6	9,4	11,6	14,4	17,7	21,5	25,5	29,2	31,8	32,8
33	6,7	7,7	8,8	10,1	11,5	12,9	14,1	15,1	15,8	16,1
43	5,3	5,9	6,5	7,1	7,7	8,3	8,8	9,2	9,4	9,5

ft	30	26	23	20	16	13	10	7	3	0
10	3%	4%	6%	9%	15%	26%	43%	68%	91%	100%
16	11%	14%	18%	26%	37%	52%	70%	89%	97%	100%
23	23%	29%	35%	44%	54%	65%	78%	89%	97%	100%
33	42%	48%	55%	63%	72%	80%	88%	94%	98%	100%
43	56%	62%	69%	75%	82%	88%	93%	97%	99%	100%

HEIGHT OF THE BALLOON

