

TUBE 3,6 kW LED HYBRID

LIGHT UNDER THE BALLOON

HEIGHT OF THE BALLOON

		Lux				
m		2700 K	3200 K	4300 K	5600 K	6500 K
HEIGHT OF THE BALLOON	3	1100	1272	1905	1727	1320
	5	512	592	887	803	614
	7	334	386	579	525	401
	10	164	189	284	257	196
	13	97	112	168	152	116

		Foot-candle				
ft		2700 K	3200 K	4300 K	5600 K	6500 K
HEIGHT OF THE BALLOON	10	102	118	177	160	123
	16	48	55	82	75	57
	23	31	36	54	49	37
	33	15	18	26	24	18
	43	9	10	16	14	11



TUBE 3,6 kW LED 3200 K


DISTANCE FROM THE BALLOON

Lux

m	9	8	7	6	5	4	3	2	1	0
3	90	128	189	279	443	646	935	1320	1507	1540
5	122	161	217	286	382	493	604	663	776	906
7	134	168	210	257	315	375	426	484	527	532
10	107	129	153	176	201	223	235	251	262	261
13	83	97	111	123	134	143	146	152	156	154

m	9	8	7	6	5	4	3	2	1	0
3	6%	8%	12%	18%	29%	42%	61%	86%	98%	100%
5	13%	18%	24%	32%	42%	54%	67%	73%	86%	100%
7	25%	32%	39%	48%	59%	70%	80%	91%	99%	100%
10	41%	49%	59%	67%	77%	85%	90%	96%	100%	100%
13	54%	63%	72%	79%	87%	93%	95%	99%	101%	100%

HEIGHT OF THE BALLOON



LIGHTING CHARTS

TUBE 3,6 kW LED 3200 K

DISTANCE FROM THE BALLOON

Foot-candle

ft	30	26	23	20	16	13	10	7	3	0
10	8,4	11,9	17,6	26,0	41,2	60,0	86,9	122,6	140,0	143,1
16	11,3	14,9	20,1	26,6	35,5	45,8	56,1	61,6	72,0	84,2
23	12,5	15,6	19,5	23,9	29,2	34,8	39,5	45,0	49,0	49,5
33	10,0	12,0	14,2	16,4	18,7	20,7	21,9	23,4	24,4	24,2
43	7,8	9,0	10,3	11,4	12,5	13,3	13,6	14,1	14,5	14,3

ft	30	26	23	20	16	13	10	7	3	0
10	6%	8%	12%	18%	29%	42%	61%	86%	98%	100%
16	13%	18%	24%	32%	42%	54%	67%	73%	86%	100%
23	25%	32%	39%	48%	59%	70%	80%	91%	99%	100%
33	41%	49%	59%	67%	77%	85%	90%	96%	100%	100%
43	54%	63%	72%	79%	87%	93%	95%	99%	101%	100%

HEIGHT OF THE BALLOON

